



# CATALOGUE 2024



# LIGHTING LINE

DESIGN ALUMINIUM PROFILES FOR LED STRIPS



# LIGHTING LINE

## ABOUT US

---



Building on years of experience in the lighting industry, Lighting Line specializes in designing and supplying aluminium profiles and LED strips.

The company has steadily grown over the years and, as of 2022, the entire Lighting Line product range is being manufactured in the newly established Chinese factory in Guangdong. The strategic move to start a proprietary production facility enables complete control over the production process, thus ensuring high quality standards and more affordable prices.

Recent developments also resulted in a new layout for our stock with the installation of a brand new high-performance vertical warehouse in 2022. In addition to speeding up order processing, this state-of-the-art solution enhances the protection of our stock, improves productivity and drastically reduces the chance of human error.

Our wide selection of aluminum profiles proudly boasts an impeccable Italian design and our registered trademark *Orizzonte* has all the credentials to meet a virtually infinite number of requests for custom LED strips.

To date, our extensive catalog, the expertise of our team and the record delivery times of our logistics department combine to make us a competitive player in the industry.





## **DARK ROOM WITH GONIOPHOTOMETER AND INTEGRATING SPHERE SPECTRORADIOMETER**

---

Innovation and technology play a key role in our company.

Our first investment in high-tech was the installation of a Dark Room with a Goniophotometer in 2018.

Light direction and intensity can be influenced by many aspects, such as LED's characteristics, the distance from the diffuser and its material, the shape of the profile itself. In order not to neglect these factors and provide reliable results we have carried out tests on our aluminum profiles with each diffuser using 14,4W/m and 9,6W/m LED strips with chip LED 2835. We can also carry out photometric tests on LED strips provided by customers so as to support them in the choice of the most suitable profile for their lighting projects.



The second device we systematically rely on to test our products is our integrating sphere spectroradiometer, which makes us able to measure the spectral radiance of our strips and thus to draft ad hoc test reports providing information on their efficiency, color temperature, wavelength, light quality (CRI) and many other features.



# INDEX

<b>Full selection review</b>	5
<b>Surface profiles</b>	
LLP-SL01-01 (21x25mm)	19
LLP-SL02-06 (36x26mm)	20
LLP-SL03-02 (8x10mm)	22
LLP-SL04-04 (18x6mm - pieghevole)	23
LLP-SL05-03 (17x15mm)	24
LLP-SL06-05 (27x12mm)	25
LLP-SL07-05 (27x7mm)	26
LLP-SL08-03 (17x8mm)	27
LLP-SL09-12 (21x10mm - impermeabile)	28
LLP-SL10-13 (21x16mm - impermeabile)	29
LLP-SL11-01 (21x17mm)	30
LLP-SL12-16 (13x8mm)	31
LLP-SL13-02 (8x5mm)	32
LLP-SL14-16 (13x12mm)	33
LLP-SL15-01 (21x13mm)	34
LLP-AC03-00 (15x10mm)	35
<b>Recessed profiles</b>	
LLP-RE01-03 (23x8mm)	36
LLP-RE02-03 (23x15mm)	37
LLP-RE03-05 (37x14mm)	38
LLP-RE04-07 (67x22mm)	39
LLP-RE05-01 (32x15mm)	40
LLP-RE06-01 (32x25mm)	41
LLP-RE07-12 (32x10mm - impermeabile)	42
LLP-RE08-13 (32x16mm - impermeabile)	43
LLP-RE09-02 (8x9mm)	44
LLP-RE10-02 (21x9mm)	45
LLP-RE11-16 (17x12mm)	46
LLP-RE12-16 (21x9mm)	47
<b>Corner profiles</b>	
LLP-AN01-03 (19x19mm)	48
LLP-AN02-08 (16x16mm)	49
LLP-AN03-08 (16x16mm)	50
LLP-AN04-09 (30x30mm)	51
LLP-AN05-09 (30x30mm)	52
LLP-AN06-20 (10x10mm)	53
<b>Wall profiles</b>	
LLP-WL01-03 (18x48mm)	54
LLP-WL02-03 (24x24mm)	55
LLP-WL03-01 (30x28mm)	56
LLP-WL04-05 (70x31mm)	57
<b>Concrete profile</b>	
LLP-CC01-06 (45x36mm)	58
<b>Suspension profiles</b>	
LLP-CL01-06 (36x75mm)	59
LLP-CL02-07 (50x75mm)	61
LLP-CL04-18 (60x73mm)	63
<b>Round profiles</b>	
LLP-NE01-14 (diametro 30mm)	64
LLP-NE02-15 (diametro 30mm - impermeabile)	65
LLP-NE03-17 (diametro 75m)	66
LLP-NE04-19 (diametro 75mm)	67



## Tiling profiles

LLP-TI01-11 (58x12mm - calpestabile/impermeabile)	68
LLP-TI02-10 (8x39mm)	69
LLP-TI03-10 (11x39mm)	70
LLP-ST01-02 (30x27mm)	71

## Floor profiles

LLP-FL01-21 (20x11mm)	72
LLP-FL02-21 (20x26mm)	73
LLP-FL03-21 (25x11mm)	74

## Drywall profiles

LLP-DW01-03 (16x12mm)	75
LLP-DW02-03 (64x22mm)	76
LLP-DW03-03 (32x42mm)	77
LLP-DW04-06 (35x49mm)	78
LLP-DW05-07 (50x49mm)	80
LLP-DW06-02 (50x10mm)	81
LLP-DW07-01 (62x12,5mm)	82
LLP-DW08-03 (57x10mm)	83
LLP-DW09-01 (97x35mm)	84
LLP-DW10-05 (54x47mm)	85
LLP-DW11-03 (72x31mm)	86
LLP-DW14-03 (36x34mm)	87
LLP-DW15-03 (38x11mm)	88
LLP-DW16-03 (54x32mm)	89

## Baseboard profiles

LLP-BB01-02 (14x80mm)	90
LLP-BB02-02 (75x12mm)	91

## Handrail profile

LLP-HR01-0203 (107x144mm)	92
---------------------------	----

## Furniture profile

LLP-SH01-03 (20x20mm)	94
LLP-SH02-03 (22x20mm)	95
LLP-SH03-03 (22x27mm)	96
LLP-WB01-00 (15x29mm)	97

## Mirror profile

LLP-MR01-03 (58x30mm)	98
-----------------------	----

## Matching between covers and profiles

	99
--	----

## Gamma completa profili










	100
--	-----

## Legenda

	102
--	-----



# SURFACE

Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-SL08-03 (17x8mm)				Surface	27
LLP-SL13-02 (8x5mm)				Surface Furniture	32
LLP-SL03-02 (8x10mm)				Surface Furniture	22
LLP-SL12-16 (13x8mm)				Surface Furniture	31
LLP-SL14-16 (13x12mm)				Surface Furniture	33
LLP-AC03-00 (15x10mm)			-	Surface	35
LLP-SL05-03 (17x15mm)				Surface	24
LLP-SL04-04 (18x6mm) Bendable				Surface Furniture	23









# SURFACE

Part No. (SKU)	Photo	Section	Accessories	Application	Page
<b>LLP-SL09-12 (21x10mm) Waterproof</b>				Surface	28
<b>LLP-SL10-13 (21x16mm) Waterproof</b>				Surface	29
<b>LLP-SL11-01 (21x17mm)</b>				Surface	30
<b>LLP-SL01-01 (21x25mm)</b>				Surface	19
<b>LLP-SL07-05 (27x7mm)</b>				Surface	26
<b>LLP-SL06-05 (27x12mm)</b>				Surface	25
<b>LLP-SL02-06 (36x26mm)</b>				Surface	20
<b>LLP-SL15-02 (21x13mm)</b>				Surface	34






# RECESSED

Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-RE01-03 (23x8mm)				Recessed Furniture	36
LLP-RE09-02 (8x9mm)				Recessed Furniture	44
LLP-RE11-16 (17x12mm)			-	Recessed Furniture	46
LLP-RE10-02 (21x9mm)			-	Recessed Furniture	45
LLP-RE12-16 (21x9mm)			-	Recessed Furniture	47
LLP-RE02-03 (23x15mm)				Recessed	37
LLP-RE07-12 (32x10mm) Waterproof				Recessed	42
LLP-RE05-01 (32x15mm)				Recessed	40



## RECESSED






Part No. (SKU)	Photo	Section	Accessories	Application	Page
<b>LLP-RE08-13</b> <b>(32x16mm)</b> <b>Waterproof</b>				Recessed	43
<b>LLP-RE06-01</b> <b>(32x25mm)</b>				Recessed	41
<b>LLP-RE03-05</b> <b>(37x14mm)</b>				Recessed	38
<b>LLP-RE04-07</b> <b>(67x22mm)</b>				Recessed	39

## MIRROR

Part No. (SKU)	Photo	Section	Accessories	Application	Page
<b>LLP-MR01-03</b> <b>(58x30mm)</b>				Mirror	96







# CORNER




Part No. (SKU)	Photo	Section	Accessories	Application	Page
<b>LLP-AN02-08 (16x16mm)</b>				Corner	49
<b>LLP-AN06-20 (10x10mm)</b>				Corner Furniture	53
<b>LLP-AN03-08 (16x16mm)</b>				Corner	50
<b>LLP-AN01-03 (19x19mm)</b>				Corner Furniture	48
<b>LLP-AN04-09 (30x30mm)</b>				Corner	51
<b>LLP-AN05-09 (30x30mm)</b>				Corner	52



## WALL

Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-WL01-03 (18x48mm)				Wall	54
LLP-WL02-03 (24x24mm)				Wall	55
LLP-WL03-01 (30x28mm)				Wall	56
LLP-WL04-05 (70x31mm)				Wall	57

## SUSPENSION


Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-CL02-07 (50x75mm)				Suspension	61
LLP-CL01-06 (36x75mm)				Suspension	59
LLP-CL04-18 (60x73mm)				Suspension	63




## ROUND

Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-NE01-14 (30mm diameter)				Round	64
LLP-NE02-15 (30mm diameter) Waterproof				Round	65
LLP-NE04-19 (50mm diameter)				Round	67
LLP-NE03-17 (75mm diameter)				Round	66

## CONCRETE




Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-CC01-06 (45,5x36mm)				Concrete	58

## HANDRAIL







Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-HR01-0203 (107x144mm)			-	Handrail	92



## TILING







Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-TI03-10 (11x39mm)			-	Tiling	70
LLP-TI02-10 (8x39mm)			-	Tiling	69
LLP-ST01-02 (30x27mm)			-	Tiling	71
LLP-TI01-11 (58x12mm) Walkable Waterproof				Tiling	68

## FLOOR

Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-FL01-21 (20x11mm)				Floor	72
LLP-FL02-21 (20x26mm)				Floor	73
LLP-FL03-21 (25x11mm)				Floor	74







# DRYWALL



Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-DW08-03 (57x10mm)			-	Drywall	83
LLP-DW01-03 (16x12mm)			-	Drywall	75
LLP-DW03-03 (32x42mm)			-	Drywall	77
LLP-DW04-06 (35x49mm)				Drywall	78
LLP-DW14-03 (36x34mm)			-	Drywall	87
LLP-DW06-02 (50x10mm)			-	Drywall	81
LLP-DW05-07 (50x49mm)				Drywall	80
LLP-DW16-03 (54x32mm)				Drywall	89



## DRYWALL


Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-DW10-05 (54x47mm)				Drywall	85
LLP-DW07-01 (62x12,5mm)				Drywall	82
LLP-DW02-03 (64x22mm)			-	Drywall	76
LLP-DW11-03 (72x31mm)				Drywall	86
LLP-DW09-01 (97x35mm)				Drywall	84

## BASEBOARD








Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-BB01-02 (14x80mm)				Baseboard	90
LLP-BB02-02 (75x12mm)			-	Baseboard	91



# FURNITURE








# FURNITURE

Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-SH01-03 (20x20mm)				Shelf Furniture	94
LLP-SH02-03 (22x20mm)			-	Shelf Furniture	95
LLP-SH03-03 (22x27mm)				Shelf Furniture	96
LLP-WB01-00 (15x29mm)			-	Furniture	97
LLP-RE09-02 (8x9mm)				Recessed Furniture	44
LLP-RE10-02 (21x9mm)			-	Recessed Furniture	45
LLP-RE11-16 (17x12mm)			-	Recessed Furniture	46
LLP-RE12-16 (21x9mm)			-	Recessed Furniture	47



# FURNITURE

Part No. (SKU)	Photo	Section	Accessories	Application	Page
<b>LLP-RE01-03</b> <b>(23x8mm)</b>				Recessed Furniture	36
<b>LLP-AN01-03</b> <b>(19x19mm)</b>				Corner Furniture	48
<b>LLP-AN06-20</b> <b>(10x10mm)</b>				Corner Furniture	53
<b>LLP-SL04-04</b> <b>(18x6mm)</b> <b>Bendable</b>				Surface Furniture	23
<b>LLP-SL12-16</b> <b>(13x8mm)</b>				Surface Furniture	31
<b>LLP-SL13-02</b> <b>(8x5mm)</b>				Surface Furniture	32
<b>LLP-SL14-16</b> <b>(13x12mm)</b>				Surface Furniture	33





## LLP-SL01-01


Available in 2 m for LED strip up to 17 mm width




### COVERS



### PHOTOMETRIC CURVE




High opal cover  
(light reduction: -25%)



Low opal cover  
(light reduction: -31%)

### INSTALLATION



### END CAPS



### MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL01-01-S2	Surface profile	2 m	Anodized aluminium	Silver		48 pcs
LLP-SL01-01-W2	Surface profile	2 m	Painted aluminium	White		48 pcs
LLD-01-CM2	High opal cover	2 m	Polycarbonate	-		120 pcs
LLD-01-FM2 / LLD-01-FS2	Low opal / frosted cover	2 m	Polycarbonate	-		190 pcs
LLE-SL01A-GP-N / LLE-SL01A-WP-N	High end cap	-	Plastic	Grey / White	A	250 pcs
LLE-SL01B-GP-N / LLE-SL01B-WP-N	Low end cap	-	Plastic	Grey / White	B	400 pcs
LLM-IN01-M	Mounting clip	-	Metal	-	C	-
LLM-SP02-M	Mounting spring	-	Metal	-	D	-
LLM-CL01-M	Suspension kit	2 m	Metal	-	E	-
LLM-CL02-M	Suspension kit	2 m	Metal	-	F	-
LLM-AC01-M	Straight connector	-	Metal	-	G	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	H	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	I	-
LLM-AC04-M	90° vertical connector	-	Metal	-	L	-




## LLP-SL02-06




Available in 3 m for LED strip up to 20 mm width





### COVERS





### INSTALLATION



Photometric curves carried out changing the position of lower cover




— C0-C180 — C90-C270  
 Flat opal cover: -36%  
 Flat frosted cover: -38%



— C0-C180 — C90-C270  
 Outside opal cover: -40%  
 Outside frosted cover: -42%



## Photometric curves carried out using the lens covers



### END CAPS



### MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL02-06-S3	Surface profile	3 m	Anodized aluminium	Silver		18 pcs
LLP-SL02-06-W3	Surface profile	3 m	Painted aluminium	White		18 pcs
LLP-HS05-00-S3	Heatsink	3 m	Anodized aluminium	Silver		-
LLD-06-CM3	Opal cover	3 m	Polycarbonate	-		30 pcs
LLD-06-CS3	Frosted cover	3 m	Polycarbonate	-		30 pcs
LLD-06-XK1-L1	Lens 52°	1,176 m	Polycarbonate	-		-
LLD-06-XK1-L2	Lens 90°	1,176 m	Polycarbonate	-		-
LLD-06-XK1-L3	Asymmetric lens	1,176 m	Polycarbonate	-		-
LLD-06-XK1-L4	Lens with double asymmetry	1,176 m	Polycarbonate	-		-
LLE-SL02-GP-N / LLE-SL02-WP-N	End cap without hole	-	Plastic	Grey / White	A	-
LLE-D06C-WP-X	White end cap for diffuser	-	Plastic	White	B	-
LLM-IN01-M	Mounting clip	-	Metal	-	C	-
LLM-SP02-M	Mounting spring	-	Metal	-	D	-
LLM-CL01-M	Suspension kit	2 m	Metal	-	E	-
LLM-CL02-M	Suspension kit	2 m	Metal	-	F	-
LLM-AC01-M	Straight connector	-	Metal	-	G	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	H	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	I	-
LLM-AC04-M	90° vertical connector	-	Metal	-	L	-



## LLP-SL03-02


Available in 2 m and 3 m for LED strip up to 6 mm width



### COVERS



### PHOTOMETRIC CURVE



Opal cover: -35%  
Frosted cover: -38%



### INSTALLATION




### END CAPS

### MOUNTING CLIPS



A




B

Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL03-02-S2 / LLP-SL03-02-S3	Surface profile	2 / 3 m	Anodized aluminium	Silver		100 pcs
LLD-02-FM2 / LLD-02-FM3	Opal cover	2 / 3 m	Polycarbonate	-		300 pcs
LLD-02-FS2 / LLD-02-FS3	Frosted cover	2 / 3 m	Polycarbonate	-		300 pcs
LLE-SL03RE09-GS-U	End cap	-	Silicone	Grey	A	-
LLM-IN03-M	Mounting clip	-	Metal	-	B	-



## LLP-SL04-04


Available in 2 m for LED strip up to 13 mm width



### COVERS




### PHOTOMETRIC CURVE



Opal cover  
(light reduction: -25%)



### INSTALLATION



### END CAPS

### MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL04-04-S2	Surface profile	2 m	Anodized aluminium	Silver		160 pcs
LLD-04-UM2	Opal cover	2 m	Polycarbonate	-		240 pcs
LLE-SL04-GP-N	End cap without hole	-	Plastic	Grey	A	1250 pcs
LLE-SL04-GP-W	End cap with hole	-	Plastic	Grey	B	1250 pcs
LLM-ES03-M	Mounting clip	-	Metal	-	C	-



## LLP-SL05-03


Available in 2 m and 3 m for LED strip up to 12 mm width




### COVERS




### PHOTOMETRIC CURVE




Transparent cover 50°  
(light reduction: -34%)




Semiopal cover 67°  
(light reduction: -38%)



Opal cover: -49%  
Frosted cover: -55%




Black diffuser  
(light reduction: -89%)



18° lens cover  
(light reduction: -34%)

### INSTALLATION



### END CAPS



### MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL05-03-S2 / LLP-SL05-03-S3	Surface profile	2 / 3 m	Anodized aluminium	Silver		70 / 48 pcs
LLP-SL05-03-B2 / LLP-SL05-03-B3	Surface profile	2 / 3 m	Anodized aluminium	Black		70 / 48 pcs
LLP-SL05-03-W2 / LLP-SL05-03-W3	Surface profile	2 / 3 m	Painted aluminium	White		70 / 48 pcs
LLD-03-FK2 / LLD-03-FK3	Transparent cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FM2 / LLD-03-FM3	Opal cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FH2 / LLD-03-FH3	Semiopal cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FS2 / LLD-03-FS3 / LLD-03-FB2(3)	Frosted cover	2 / 3 m	Polycarbonate	White / Black		320 / 180 pcs
LLD-03-XK2-L1 / LLD-03-XK3-L1	18° lens	2 / 3 m	PMMA	-		-
LLE-SL05-WP-N / LLE-SL05-BP-N	End cap without hole	-	Plastic	White / Black	A	-
LLE-SL05-GP-N	End cap without hole	-	Plastic	Grey	A	-
LLE-SL05-WP-W / LLE-SL05-BP-W	End cap with hole	-	Plastic	White / Black	B	-
LLE-SL05-GP-W	End cap with hole	-	Plastic	Grey	B	-
LLE-SL05-WP-F / LLE-SL05-BP-F	End cap for furniture	-	Plastic	White / Black	C	-
LLE-SL05-GP-F	End cap for furniture	-	Plastic	Grey	C	-
LLM-ES02-M / LLM-ES02-P	Mounting clip	-	Metal / Plastic	-	D / E	-
LLM-AC05-P	90° mounting clip	-	Plastic	-	F	-




## LLP-SL06-05

Available in 2 m and 3 m for LED strip up to 12 mm width

### COVERS




### PHOTOMETRIC CURVE



— C0-C180 — C90-C270

Transparent cover  
(light reduction: -14%)




— C0-C180 — C90-C270

Opal cover: -32%  
Frosted cover: -33%



### INSTALLATION



### END CAPS

### MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL06-05-S2 / LLP-SL06-05-S3	Surface profile	2 / 3 m	Anodized aluminium	Silver		50 pcs
LLP-SL06-05-W2 / LLP-SL06-05-W3	Surface profile	2 / 3 m	Painted aluminium	White		50 pcs
LLD-05-FK2 / LLD-05-FK3	Transparent cover	2 / 3 m	Polycarbonate	-		240 / 140 pcs
LLD-05-FM2 / LLD-05-FM3	Opal cover	2 / 3 m	Polycarbonate	-		240 / 140 pcs
LLD-05-FS2 / LLD-05-FS3	Frosted cover	2 / 3 m	Polycarbonate	-		240 / 140 pcs
LLE-SL06-GP-N / LLE-SL06-WP-N	End cap without hole	-	Plastic	Grey / White	A	-
LLE-SL06-GP-W / LLE-SL06-WP-W	End cap with hole	-	Plastic	Grey / White	B	-
LLM-ES04-M	Mounting clip	-	Metal	-	C	-




## LLP-SL07-05

Available in 2 m for LED strip up to 24 mm width


### COVERS



### PHOTOMETRIC CURVE




— C0-C180 — C90-C270  
Transparent cover  
(light reduction: -8%)



— C0-C180 — C90-C270  
Opal cover: -26%  
Frosted cover: -27%



### INSTALLATION



### END CAPS

### MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL07-05-S2	Surface profile	2 m	Anodized aluminium	Silver		-
LLP-SL07-05-W2	Surface profile	2 m	Painted aluminium	White		-
LLD-05-FK2	Transparent cover	2 m	Polycarbonate	-		240 pcs
LLD-05-FM2	Opal cover	2 m	Polycarbonate	-		240 pcs
LLD-05-FS2	Frosted cover	2 m	Polycarbonate	-		240 pcs
LLE-SL07-GP-N / LLE-SL07-WP-N	End cap without hole	-	Plastic	Grey / White	A	-
LLE-SL07-GP-W / LLE-SL07-WP-W	End cap with hole	-	Plastic	Grey / White	B	-
LLM-ES04-M	Mounting clip	-	Metal	-	C	-




## LLP-SL08-03

Available in 2 m and 3 m for LED strip up to 12 mm width



### INSTALLATION



### END CAPS




### MOUNTING CLIPS




### COVERS




### PHOTOMETRIC CURVE




Transparent cover 90°  
(light reduction: -16%)




Semiopal cover 90°  
(light reduction: -20%)



Opal cover: -32%  
Frosted cover: -39%



Black diffuser  
(light reduction: -84%)



60° lens cover  
(light reduction: -16%)


Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL08-03-S2 / LLP-SL08-03-S3	Surface profile	2 / 3 m	Anodized aluminium	Silver		120 / 80 pcs
LLP-SL08-03-B2 / LLP-SL08-03-B3	Surface profile	2 / 3 m	Anodized aluminium	Black		120 / 80 pcs
LLP-SL08-03-W2 / LLP-SL08-03-W3	Surface profile	2 / 3 m	Painted aluminium	White		120 / 80 pcs
LLD-03-FK2 / LLD-03-FK3	Transparent cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FM2 / LLD-03-FM3	Opal cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FH2 / LLD-03-FH3	Semiopal cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FS2 / LLD-03-FS3 / LLD-03-FB2(3)	Frosted cover	2 / 3 m	Polycarbonate	White / Black		320 / 180 pcs
LLD-03-XK2-L2 / LLD-03-XK3-L2	60° lens	2 / 3 m	Polycarbonate	-		-
LLE-SL08-WP-N / LLE-SL08-BP-N	End cap without hole	-	Plastic	White / Black	A	-
LLE-SL08-GP-N	End cap without hole	-	Plastic	Grey	A	-
LLE-SL08-WP-W / LLE-SL08-BP-W	End cap with hole	-	Plastic	White / Black	B	-
LLE-SL08-GP-W	End cap with hole	-	Plastic	Grey	B	-
LLE-SL08-WP-F / LLE-SL08-BP-F	End cap for furniture	-	Plastic	White / Black	C	-
LLE-SL08-GP-F	End cap for furniture	-	Plastic	Grey	C	-
LLM-ES01-M / LLM-ES01-P	Mounting clip	-	Metal / Plastic	-	D / E	-
LLM-AC05-P	90° mounting clip	-	Plastic	-	F	-




## LLP-SL09-12

Available in 3 m for LED strip up to 12 mm width


### COVERS




### PHOTOMETRIC CURVE



Opal cover  
(light reduction: -32%)



### INSTALLATION



### END CAPS

### MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL09-12-S3	Waterproof surface profile	3 m	Anodized aluminium	Silver		-
LLP-AC01-00-S3	Flat bar for LED strip	3 m	Anodized aluminium	Silver		-
LLD-12-WK3	Transparent cover		Polycarbonate	-		-
LLD-12-WM3	Opal cover	3 m	Polycarbonate	-		-
LLE-SL09-GP-N	End cap without hole	-	Plastic	Grey	A	400 pcs
LLE-SL09-GP-W	End cap with hole	-	Plastic	Grey	B	400 pcs
LLE-D12W-WS-U	Internal end cap	-	Silicone	White	C	400 pcs
LLM-ES07-M	Mounting clip	-	Metal	-	D	-



## LLP-SL10-13


Available in 3 m for LED strip up to 12 mm width



### COVERS




### PHOTOMETRIC CURVE



Opal cover  
(light reduction: -44%)



### INSTALLATION



### END CAPS

### MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL10-13-S3	Waterproof surface profile	3 m	Anodized aluminium	Silver		-
LLP-AC01-00-S3	Flat bar for LED strip	3 m	Anodized aluminium	Silver		-
LLD-13-WM3	Opal cover	3 m	Polycarbonate	-		-
LLE-SL10-GP-N	End cap without hole	-	Plastic	Grey	A	300 pcs
LLE-SL10-GP-W	End cap with hole	-	Plastic	Grey	B	300 pcs
LLE-D13W-WS-U	Internal end cap	-	Silicone	White	C	200 pcs
LLM-ES08-M	Mounting clip	-	Metal	-	D	-




## LLP-SL11-01

Available in 2 m for LED strip up to 12 mm width

### COVERS




### PHOTOMETRIC CURVE



High opal cover  
(light reduction: -20%)



### INSTALLATION



### END CAPS

### MOUNTING CLIPS



Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL11-01-S2	Surface profile	2 m	Anodized aluminium	Silver		-
LLP-SL11-01-W2	Surface profile	2 m	Painted aluminium	White		-
LLD-01-CM2	High opal cover	2 m	Polycarbonate	-		-
LLE-SL11-GP-N	End cap without hole	-	Plastic	Grey	A	-
LLE-SL11-WP-N	End cap without hole	-	Plastic	White	A	-
LLM-IN04-M	Mounting clip	-	Metal	-	B	-
LLM-SP02-M	Mounting spring	-	Metal	-	C	-
LLM-AC01-M	Straight connector	-	Metal	-	D	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	E	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	F	-
LLM-AC04-M	90° vertical connector	-	Metal	-	G	-




## LLP-SL12-16

Available in 2 e 3 m for LED strip up to 10 mm width

### COVERS




### PHOTOMETRIC CURVE



Opal cover  
(light reduction: -37%)



### INSTALLATION



### END CAPS

### MOUNTING CLIPS



Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL12-16-S2 / LLP-SL12-16-S3	Surface profile	2 / 3 m	Anodized aluminium	Silver		-
LLP-SL12-16-W2	Surface profile	2 m	Painted aluminium	White		-
LLD-16-FK2 / LLD-16-FK3	Transparent cover	2 / 3 m	Polycarbonate	-		-
LLD-16-FM2 / LLD-16-FM3	Opal cover	2 / 3 m	Polycarbonate	-		-
LLD-16-FS2 / LLD-16-FS3	Frosted cover	2 / 3 m	Polycarbonate	-		-
LLE-SL12-GP-N	End cap without hole	-	Plastic	Grey	A	-
LLE-SL12-WP-N	End cap without hole	-	Plastic	White	A	-
LLE-SL12-GP-W	End cap with hole	-	Plastic	Grey	B	-
LLE-SL12-WP-W	End cap with hole	-	Plastic	White	B	-
LLE-SL12-GP-F	End cap for furniture	-	Plastic	Grey	C	-
LLE-SL12-WP-F / LLE-SL12-BP-F	End cap for furniture	-	Plastic	White / Black	C	-
LLM-ES09-M	Mounting clip		Metal	-	D	-



## LLP-SL13-02

Available in 2 m for LED strip up to 6 mm width

### COVERS



### INSTALLATION



### END CAPS



A


Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL13-02-S2	Surface profile	2 m	Anodized aluminium	Silver		-
LLP-SL13-02-W2 / LLP-SL13-02-B2		2 m	Painted aluminium	White / Black		-
LLD-02-FM2	Opal cover	2 m	Polycarbonate	-		300 pcs
LLD-02-FS2	Frosted cover	2 m	Polycarbonate	-		300 pcs
LLE-SL03RE09-GS-U	End cap	-	Silicone	Grey	A	-




## LLP-SL14-16

Available in 2 and 3 m for LED strip up to 10 mm width

### COVERS



### PHOTOMETRIC CURVE



### INSTALLATION



### END CAPS



Article	Description	Length	Material	Color	Picture	Packaging
PR-SL14-16-S2	Surface profile	2 m	Anodized aluminium	Silver		-
PR-SL14-16-W2	Surface profile	2 m	Painted aluminium	White		-
PR-SL14-16-S3	Surface profile	3 m	Anodized aluminium	Silver		-
PR-SL14-16-W3	Surface profile	3 m	Painted aluminium	White		-
LLD-16-FM2 / LLD-16-FM3	Opal cover	2 / 3 m	Polycarbonato	-		-
LLE-SL14-WP-W	End cap with hole	-	Plastic	White	A	-
LLE-SL14-WP-N	End cap for furniture	-	Plastic	White	B	-



## LLP-SL15-01

Available in 2 m for LED strip up to 18 mm width

### COVERS



### INSTALLATION



### END CAPS

### MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL15-01-S2	Surface profile	2 m	Anodized aluminium	Silver		-
LLP-SL15-01-W2	Surface profile	2 m	Painted aluminium	White		-
LLD-01-CM2	High opal cover	2 m	Polycarbonate	-		-
LLD-01-FM2 / LLD-01-FS2	Low opal / frosted cover	2 m	Polycarbonate	-		-
LLE-SL15A-GP-N	High end cap without hole	-	Plastic	Grey / White	A	-
LLE-SL15A-GP-W	High end cap with hole	-	Plastic	Grey / White	B	-
LLE-SL15B-GP-N	Low end cap without hole	-	Plastic	Grey / White	C	-
LLE-SL15B-GP-W	Low end cap with hole	-	Plastic	Grey / White	D	-
LLM-ES10-M	Mounting clip	-	Metal	-	C	-




## LLP-AC03-00

Available in 3 m for IP protection LED strip up to 12 mm width



### PHOTOMETRIC CURVE



### INSTALLATION




Article	Description	Length	Material	Color	Picture	Packaging
LLP-AC03-00-S3	Surface profile	3 m	Anodized aluminium	Silver		-



## LLP-RE01-03


Available in 2 m and 3 m for LED strip up to 12 mm width




### COVERS




### PHOTOMETRIC CURVE




Transparent cover 90°  
(light reduction: -16%)




Semiopal cover 90°  
(light reduction: -20%)



Opal cover: -32%  
Frosted cover: -39%



Black diffuser  
(light reduction: -84%)



60° lens cover  
(light reduction: -16%)

### INSTALLATION



### END CAPS



A


B

Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE01-03-S2 / LLP-RE01-03-S3	Recessed profile	2 / 3 m	Anodized aluminium	Silver		80 / 60 pcs
LLP-RE01-03-B2 / LLP-RE01-03-B3	Recessed profile	2 / 3 m	Anodized aluminium	Black		80 / 60 pcs
LLP-RE01-03-W2 / LLP-RE01-03-W3	Recessed profile	2 / 3 m	Painted aluminium	White		80 / 60 pcs
LLD-03-FK2 / LLD-03-FK3	Transparent cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FM2 / LLD-03-FM3	Opal cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FH2 / LLD-03-FH3	Semiopal cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FS2 / LLD-03-FS3 / LLD-03-FB2(3)	Frosted cover	2 / 3 m	Polycarbonate	White / Black		320 / 180 pcs
LLD-03-XK2-L1 / LLD-03-XK3-L1	60° lens	2 / 3 m	PMMA	-		-
LLE-RE01-WP-N	End cap without hole	-	Plastic	White	A	-
LLE-RE01-GP-N	End cap without hole	-	Plastic	Grey	A	-
LLE-RE01-WP-W	End cap with hole	-	Plastic	White	B	-
LLE-RE01-GP-W	End cap with hole	-	Plastic	Grey	B	-



## LLP-RE02-03


Available in 2 m and 3 m for LED strip up to 12 mm width




### COVERS




### PHOTOMETRIC CURVE




Transparent cover 50°  
(light reduction: -34%)




Semiopal cover 67°  
(light reduction: -38%)



Opal cover: -49%  
Frosted cover: -55%




Black diffuser  
(light reduction: -89%)



18° Lens cover  
(light reduction: -34%)

### INSTALLATION



### END CAPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE02-03-S2 / LLP-RE02-03-S3	Recessed profile	2 / 3 m	Anodized aluminium	Silver		80 / 60 pcs
LLP-RE02-03-B2 / LLP-RE02-03-B3	Recessed profile	2 / 3 m	Anodized aluminium	Black		80 / 60 pcs
LLP-RE02-03-W2 / LLP-RE02-03-W3	Recessed profile	2 / 3 m	Painted aluminium	White		80 / 60 pcs
LLD-03-FK2 / LLD-03-FK3	Transparent cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FM2 / LLD-03-FM3	Opal cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FH2 / LLD-03-FH3	Semiopal cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FS2 / LLD-03-FS3 / LLD-03-FB2(3)	Frosted cover	2 / 3 m	Polycarbonate	White / Black		320 / 180 pcs
LLD-03-XK2-L2 / LLD-03-XK3-L2	18° lens	2 / 3 m	Polycarbonate	-		-
LLE-RE02-WP-N	End cap without hole	-	Plastic	White	A	-
LLE-RE02-GP-N	End cap without hole	-	Plastic	Grey	A	-
LLE-RE02-WP-W	End cap with hole	-	Plastic	White	B	-
LLE-RE02-GP-W	End cap with hole	-	Plastic	Grey	B	-




## LLP-RE03-05

Available in 2 m for LED strip up to 12 mm width


### COVERS



### PHOTOMETRIC CURVE



Transparent cover  
(light reduction: -14%)



Opal cover: -32%  
Frosted cover: -33%



### INSTALLATION



### END CAPS

### MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE03-05-S2	Recessed profile	2 m	Anodized aluminium	Silver		-
LLD-05-FK2	Transparent cover	2 m	Polycarbonate	-		240 pcs.
LLD-05-FM2	Opal cover	2 m	Polycarbonate	-		240 pcs
LLD-05-FS2	Frosted cover	2 m	Polycarbonate	-		240 pcs
LLE-RE03-GP-N	End cap without hole	-	Plastic	Grey	A	-
LLE-RE03-GP-W	End cap with hole	-	Plastic	Grey	B	-
LLM-ES01-M	Mounting clip	-	Metal	-	C	-
LLM-SP01-M	Mounting spring	-	Metal	-	D	-




## LLP-RE04-07


Available in 2 m for LED strip up to 43 mm width




### COVERS



### PHOTOMETRIC CURVE




Low opal cover: -39%  
Low frosted cover: -41%



High opal cover: -38%  
High frosted cover: -39%



### INSTALLATION



### END CAPS



### MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE04-07-S2	Recessed profile	2 m	Anodized aluminium	Silver		-
LLP-RE04-07-W2	Recessed profile	2 m	Painted aluminium	White		-
LLD-07-CM2	Opal cover	2 m	Polycarbonate	-		-
LLD-07-CS2	Frosted cover	2 m	Polycarbonate	-		-
LLE-RE04B-GP-W / LLE-RE04B-WP-W	Low end cap	-	Plastic	Grey / White	A	-
LLE-RE04A-GP-W / LLE-RE04A-WP-W	High end cap	-	Plastic	Grey / White	B	-
LLM-SP01-M	Mounting spring	-	Metal	-	C	-
LLM-AC01-M	Straight connector	-	Metal	-	D	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	E	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	F	-
LLM-AC04-M	90° vertical connector	-	Metal	-	G	-



## LLP-RE05-01


Available in 2 m for LED strip up to 17 mm width




### COVERS



### PHOTOMETRIC CURVE




High opal cover  
(light reduction: -29%)



Flat opal cover  
(light reduction: -36%)



### INSTALLATION



### END CAPS

### MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE05-01-S2	Recessed profile	2 m	Anodized aluminium	Silver		-
LLP-RE05-01-W2	Recessed profile	2 m	Painted aluminium	White		-
LLD-01-CM2	High opal cover	2 m	Polycarbonate	-		120 pcs
LLD-01-FM2 / LLD-01-FS2	Low opal / frosted cover	2 m	Polycarbonate	-		190 pcs
LLE-RE05-GP-W / LLE-RE05-WP-W	End cap with hole	-	Plastic	Grey / White	A	250 pcs
LLE-D01C-GP-X / LLE-D01C-WP-X	End cap for high cover	-	Plastic	Grey / White	B	500 pcs
LLM-SP01-M	Mounting spring	-	Metal	-	C	-



## LLP-RE06-01


Available in 2 m for LED strip up to 17 mm width




### COVERS



### PHOTOMETRIC CURVE




— C0-C180 — C90-C270  
 High opal cover  
 (light reduction: -38%)



— C0-C180 — C90-C270  
 Flat opal cover  
 (light reduction: -45%)



### INSTALLATION



### END CAPS

### MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE06-01-S2	Recessed profile	2 m	Anodized aluminium	Silver		-
LLD-01-CM2	High opal cover	2 m	Polycarbonate	-		120 pcs
LLD-01-FM2 / LLD-01-FS2	Low opal / frosted cover	2 m	Polycarbonate	-		190 pcs
LLE-RE06-GP-W	End cap with hole	-	Plastic	Grey	A	150 pcs
LLE-D01C-GP-X	End cap for high cover	-	Plastic	Grey	B	500 pcs
LLM-SP01-M	Mounting spring	-	Metal	-	C	-



# RECESSED

## LLP-RE07-12


Available in 3 m for LED strip up to 12 mm width



### COVERS



### PHOTOMETRIC CURVE



### INSTALLATION



### END CAPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE07-12-S3	Waterproof recessed profile	3 m	Anodized aluminium	Silver		-
LLP-AC01-00-S3	Flat bar for LED strip	3 m	Anodized aluminium	Silver		-
LLD-12-WK3	Transparent cover		Polycarbonate	-		-
LLD-12-WM3	Opal cover	3 m	Polycarbonate	-		-
LLE-RE07-GP-W	External end cap with hole	-	Plastic	Grey	A	300 pcs
LLE-D12W-WS-U	Internal end cap	-	Silicone	White	B	400 pcs



# RECESSED

## LLP-RE08-13


Available in 3 m for LED strip up to 12 mm width




### COVERS



### PHOTOMETRIC CURVE



### INSTALLATION



### END CAPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE08-13-S3	Waterproof recessed profile	3 m	Anodized aluminium	Silver	-	-
LLP-AC01-00-S3	Flat bar for LED strip	3 m	Anodized aluminium	Silver	-	-
LLD-13-WM3	Opal cover	3 m	Polycarbonate	-	-	-
LLE-RE08-GP-W	External end cap with hole	-	Plastic	Grey	A	200 pcs
LLE-D13W-WS-U	Internal end cap	-	Silicone	White	B	200 pcs



# RECESSED

## LLP-RE09-02


Available in 2 m and 3 m for LED strip up to 6 mm width




### COVERS



### PHOTOMETRIC CURVE



### INSTALLATION



### END CAPS



A


Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE09-02-S2 / LLP-RE09-02-S3	Recessed profile	2 / 3 m	Anodized aluminium	Silver		160 pcs
LLD-02-FM2 / LLD-02-FM3	Opal cover	2 / 3 m	Polycarbonate	-		300 pcs
LLD-02-FS2 / LLD-02-FS3	Frosted cover	2 / 3 m	Polycarbonate	-		300 pcs
LLE-SL03RE09-GS-U	End cap	-	Silicone	Grey	A	-



# RECESSED

## LLP-RE10-02


Available in 2 m for LED strip up to 6 mm width



### COVERS



### PHOTOMETRIC CURVE



Opal cover: -46%  
Frosted cover: -50%



### INSTALLATION



Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE10-02-S2	Recessed profile	2 m	Anodized aluminium	Silver		-
LLP-RE10-02-W2	Recessed profile	2 m	Painted aluminium	White		-
LLD-02-FM2	Opal cover	2 m	Polycarbonate			300 pcs
LLD-02-FS2	Frosted cover	2 m	Polycarbonate			300 pcs




# RECESSED


## LLP-RE11-16

Available in 2,5 and 3 m for LED strip up to 10 mm width

### COVERS



### PHOTOMETRIC CURVE



### INSTALLATION




Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE11-16-S2.5 / LLP-RE11-16-S3	Recessed profile	2,5 / 3 m	Anodized aluminium	Silver	-	-
LLP-RE11-16-B2.5 / LLP-RE11-16-B3	Recessed profile	2,5 / 3 m	Anodized aluminium	Black	-	-
LLP-RE11-16-W2.5 / LLP-RE11-16-W3	Recessed profile	2,5 / 3 m	Painted aluminium	White	-	-
LLD-16-FM2.5 / LLD-16-FM3	Opal cover	2,5 / 3 m	Polycarbonate	-	-	-




## LLP-RE12-16

Available in 2,5 and 3 m for LED strip up to 10 mm width


### COVERS



### PHOTOMETRIC CURVE



Opal cover: -48%



### INSTALLATION




Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE11-16-S2.5 / LLP-RE11-16-S3	Recessed profile	2,5 / 3 m	Anodized aluminium	Silver	-	-
LLP-RE11-16-B2.5 / LLP-RE11-16-B3	Recessed profile	2,5 / 3 m	Anodized aluminium	Black	-	-
LLP-RE11-16-W2.5 / LLP-RE11-16-W3	Recessed profile	2,5 / 3 m	Painted aluminium	White	-	-
LLD-16-FM2.5 / LLD-16-FM3	Opal cover	2,5 / 3 m	Polycarbonate	-	-	-



## LLP-AN01-03


Available in 2 m for LED strip up to 14 mm width




### COVERS




### PHOTOMETRIC CURVE




Transparent cover  
(light reduction: -25%)



Semiopal cover  
(light reduction: -29%)




Opal cover: -41%  
Frosted cover: -47%




40° lens cover  
(light reduction: -25%)

### INSTALLATION



### END CAPS



### MOUNTING CLIPS



Article	Description	Length	Material	Color	Picture	Packaging
LLP-AN01-03-S2 / LLP-AN01-03-S3	Corner profile	2 m / 3 m	Anodized aluminium	Silver		40 pcs
LLP-AN01-03-W2	Corner profile	2 m	Painted aluminium	White		40 pcs
LLD-03-FK2 / LLD-03-FK3	Transparent cover	2 m / 3 m	Polycarbonate	-		320 pcs
LLD-03-FM2 / LLD-03-FM3	Opal cover	2 m / 3 m	Polycarbonate	-		320 pcs
LLD-03-FH2 / LLD-03-FH3	Semiopal cover	2 m / 3 m	Polycarbonate	-		320 pcs
LLD-03-FS2 / LLD-03-FS3	Frosted cover	2 m / 3 m	Polycarbonate	-		320 pcs
LLD-03-XK2-L1 / LLD-03-XK3-L1	40° lens	2 m / 3 m	PMMA	-		-
LLE-AN01-GP-N / LLE-AN01-WP-N	End cap without hole	-	Plastic	Grey / White	A	-
LLE-AN01-GP-W / LLE-AN01-WP-W	End cap with hole	-	Plastic	Grey / White	B	-
LLM-IN01-M	Mounting clip	-	Metal	-	C	-



## LLP-AN02-08


Available in 2 m and 3 m for LED strip up to 10 mm width




### COVERS



### PHOTOMETRIC CURVE



Transparent cover  
(light reduction: -9%)



Opal cover: -25%  
Frosted cover: -28%

### INSTALLATION



### END CAPS



### MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-AN02-08-S2 / LLP-AN02-08-S3	Corner profile	2 / 3 m	Anodized aluminium	Silver		100 / 80 pcs
LLD-08-UK2 / LLD-08-UK3	Round transparent cover	2 / 3 m	Polycarbonate	-		320 / 140 pcs
LLD-08-UM2 / LLD-08-UM3	Round opal cover	2 / 3 m	Polycarbonate	-		320 / 140 pcs
LLD-08-US2 / LLD-08-US3	Round frosted cover	2 / 3 m	Polycarbonate	-		320 / 140 pcs
LLE-AN0203-GP-N	Round end cap without hole	-	Plastic	Grey	A	-
LLE-AN0203-GP-W	Round end cap with hole	-	Plastic	Grey	B	-
LLM-ES05-M	Mounting clip	-	Metal	-	E	-
LLM-ES05-P	Mounting clip	-	Plastic	-	F	-
LLM-AC05-P	90° mounting clip	-	Plastic	-	G	-



## LLP-AN03-08


Available in 2 m and 3 m for LED strip up to 10 mm width




### COVERS



### PHOTOMETRIC CURVE



Transparent cover  
(light reduction: -9%)



Opal cover: -25%  
Frosted cover: -28%

### INSTALLATION



### END CAPS



### MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-AN03-08-S2 / LLP-AN03-08-S3	Corner profile	2 / 3 m	Anodized aluminium	Silver		120 / 80 pcs
LLD-08-UK2 / LLD-08-UK3	Round transparent cover	2 / 3 m	Polycarbonate	-		320 / 140 pcs
LLD-08-UM2 / LLD-08-UM3	Round opal cover	2 / 3 m	Polycarbonate	-		320 / 140 pcs
LLD-08-US2 / LLD-08-US3	Round frosted cover	2 / 3 m	Polycarbonate	-		320 / 140 pcs
LLE-AN0203-GP-N	Round end cap without hole	-	Plastic	Grey	A	-
LLE-AN0203-GP-W	Round end cap with hole	-	Plastic	Grey	B	-
LLM-ES05-M	Mounting clip	-	Metal	-	C	-
LLM-ES05-P	Mounting clip	-	Plastic	-	D	-
LLM-AC05-P	90° mounting clip	-	Plastic	-	E	-



## LLP-AN04-09


Available in 2 m and 3 m for LED strip up to 21 mm width




### COVERS




### PHOTOMETRIC CURVE



Transparent cover  
(light reduction: -7%)




Opal cover: -22%  
Frosted cover: -28%



Opal L cover  
(light reduction: -25%)

### INSTALLATION



### END CAPS



### MOUNTING CLIPS



Article	Description	Length	Material	Color	Picture	Packaging
LLP-AN04-09-S2 / LLP-AN04-09-S3	Corner profile	2 / 3 m	Anodized aluminium	Silver		50 / 32 pcs
LLD-09-UK2 / LLD-09-UK3	Round transparent cover	2 / 3 m	Polycarbonate	-		140 pcs
LLD-09-UM2 / LLD-09-UM3	Round opal cover	2 / 3 m	Polycarbonate	-		140 pcs
LLD-09-US2 / LLD-09-US3	Round frosted cover	2 / 3 m	Polycarbonate	-		140 pcs
LLD-09-LM2 / LLD-09-LM3	Square opal cover	2 / 3 m	Polycarbonate	-		100 pcs
LLE-AN0405-GP-N	Round end cap without hole	-	Plastic	Grey	A	-
LLE-AN0405-GP-W	Round end cap with hole	-	Plastic	Grey	B	-
LLE-AN0405L-GP-N	Square end cap without hole	-	Plastic	Grey	C	100 pcs
LLE-AN0405L-GP-W	Square end cap with hole	-	Plastic	Grey	D	100 pcs
LLM-ES06-M	Mounting clip	-	Metal	-	E	-
LLM-ES06-P	Mounting clip	-	Plastic	-	F	-
LLM-AC05-P	90° mounting clip	-	Plastic	-	G	-



## LLP-AN05-09


Available in 2 m and 3 m for LED strip up to 21 mm width




### COVERS




### PHOTOMETRIC CURVE



Transparent cover  
(light reduction: -7%)




Opal cover: -22%  
Frosted cover: -28%



Opal L cover  
(light reduction: -25%)

### INSTALLATION



### END CAPS



### MOUNTING CLIPS



Article	Description	Length	Material	Color	Picture	Packaging
LLP-AN05-09-S2 / LLP-AN05-09-S3	Corner profile	2 / 3 m	Anodized aluminium	Silver		-
LLP-AN05-09-W3	Corner profile	3 m	Painted aluminium	White		-
LLD-09-UK2 / LLD-09-UK3	Round transparent cover	2 / 3 m	Polycarbonate	-		140 pz.
LLD-09-UM2 / LLD-09-UM3	Round opal cover	2 / 3 m	Polycarbonate	-		140 pz.
LLD-09-US2 / LLD-09-US3	Round frosted cover	2 / 3 m	Polycarbonate	-		140 pz.
LLD-09-LM2 / LLD-09-LM3	Square opal cover	2 / 3 m	Polycarbonate	-		100 pz.
LLE-AN0405-GP-N / LLE-AN0405-WP-N	Round end cap without hole	-	Plastic	Grey / White	A	-
LLE-AN0405-GP-W / LLE-AN0405-WP-W	Round end cap with hole	-	Plastic	Grey / White	B	-
LLE-AN0405L-GP-N / LLE-AN0405L-WP-N	Square end cap without hole	-	Plastic	Grey / White	C	-
LLE-AN0405L-GP-W / LLE-AN0405L-WP-W	Square end cap with hole	-	Plastic	Grey / White	D	-
LLM-IN02-M	Internal mounting clip	-	Metal	-	E	-
LLM-ES06-M	External mounting clip	-	Metal	-	F	-
LLM-ES06-P	External mounting clip	-	Plastic	-	G	-
LLM-AC05-P	90° mounting clip	-	Plastic	-	H	-
LLM-CL01-M	Suspension kit	2 m	Metal	-	I	-
LLM-CL02-M	Suspension kit	2 m	Metal	-	L	-



## LLP-AN06-20

Available in 2 m for LED strip up to 8 mm width



### INSTALLATION




### END CAPS




### COVERS




### PHOTOMETRIC CURVE



Transparent cover  
(light reduction: -4%)



Opal cover  
(light reduction: -14%)




Frosted cover  
(light reduction: -19%)

Article	Description	Length	Material	Color	Picture	Packaging
LLP-AN06-20-S2	Corner profile	2 m	Anodized aluminium	Silver	-	-
LLD-20-UK2	Round transparent cover	2 m	Polycarbonate	-	-	-
LLD-20-UM2	Round opal cover	2 m	Polycarbonate	-	-	-
LLD-20-US2	Round frosted cover	2 m	Polycarbonate	-	-	-
LLE-AN06-GP-F	End cap for furniture	-	Plastic	A	-	-



## LLP-WL01-03


Available in 2 m for LED strip up to 14 mm width




### COVERS




### PHOTOMETRIC CURVE




Transparent cover  
(light reduction: -20%)



Semiopal cover  
(light reduction: -25%)




Opal cover: -37%  
Frosted cover: -43%



55° lens cover  
(light reduction: -19%)

### INSTALLATION



### END CAPS



### MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-WL01-03-S2	Wall profile	2 m	Anodized aluminium	Silver		-
LLD-03-FK2	Transparent cover	2 m	Polycarbonate	-		320 pcs
LLD-03-FM2	Opal cover	2 m	Polycarbonate	-		320 pcs
LLD-03-FH2	Semiopal cover	2 m	Polycarbonate	-		320 pcs
LLD-03-FS2	Frosted cover	2 m	Polycarbonate	-		320 pcs
LLD-03-XK2-L2	55° lens	2 m	Polycarbonate	-		-
LLE-WL01S-GP-U	Left end cap	-	Plastic	A		-
LLE-WL01D-GP-U	Right end cap	-	Plastic	B		-
LLM-IN07-M	Mounting clip	-	Metal	C		-



## LLP-WL02-03


Available in 2 m for LED strip up to 12 mm width




### COVERS




### PHOTOMETRIC CURVE




Transparent cover  
(light reduction: -16%)



Semiopal cover  
(light reduction: -21%)



Opal cover: -33%  
Frosted cover: -39%



56° lens cover  
(light reduction: -16%)


### INSTALLATION



### END CAPS



### MOUNTING CLIPS





Article	Description	Length	Material	Color	Picture	Packaging
LLP-WL02-03-S2	Wall profile	2 m	Anodized aluminium	Silver		50 pcs
LLP-WL02-03-W2	Wall profile	2 m	Painted aluminium	White		50 pcs
LLD-03-FK2	Transparent cover	2 m	Polycarbonate	-		320 pcs
LLD-03-FM2	Opal cover	2 m	Polycarbonate	-		320 pcs
LLD-03-FH2	Semiopal cover	2 m	Polycarbonate	-		320 pcs
LLD-03-FS2	Frosted cover	2 m	Polycarbonate	-		320 pcs
LLD-03-XK2-L2	56° lens	2 m	Polycarbonate	-		-
LLE-WL02S-GP-U / LLE-WL02S-WP-U	Left end cap	-	Plastic	Grey / White	A	-
LLE-WL02D-GP-U / LLE-WL02D-WP-U	Right end cap	-	Plastic	Grey / White	B	-
LLM-IN04-M	Mounting clip	-	Metal	-	C	-



## LLP-WL03-01


Available in 2 m for LED strip up to 17 mm width




### COVERS



### PHOTOMETRIC CURVE




High opal cover  
(light reduction: -37%)



Flat opal cover  
(light reduction: -43%)

### INSTALLATION



### END CAPS

### MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-WL03-01-S2	Wall profile	2 m	Anodized aluminium	Silver		-
LLD-01-CM2	High opal cover	2 m	Polycarbonate	-		120 pcs
LLD-01-FM2 / LLD-01-FS2	Low opal / frosted cover	2 m	Polycarbonate	-		190 pcs
LLE-WL03-GP-N	End cap	-	Plastic	Grey	A	125 pcs
LLE-D01C-GP-X	End cap for high cover	-	Plastic	Grey	B	500 pcs
LLM-IN08-M	Mounting clip	-	Metal	-	C	-



## LLP-WL04-05


Available in 2 m for LED strip up to 18 mm width



### COVERS



### INSTALLATION



### END CAPS

### MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-WL04-05-S2	Wall profile	2 m	Anodized aluminium	Silver		-
LLP-WL04-05-W2	Wall profile	2 m	Painted aluminium	White		-
LLD-05-FK2	Transparent cover	2 m	Polycarbonate	-		-
LLD-05-FM2	Opal cover	2 m	Polycarbonate	-		-
LLD-05-FS2	Frosted cover	2 m	Polycarbonate	-		-
PRA-WL04-SM-U	End cap without hole	-	Plastic	Grey	A	-
PRA-WL04-WM-U	End cap without hole	-	Plastic	White	A	-
PRM-IN08-M	Mounting clip	-	Metal	-	B	-



## LLP-CC01-06


Available in 3 m for LED strip up to 12 mm width




### COVERS



### PHOTOMETRIC CURVE




High Opal cover: -64%  
High Frosted cover: -63%



Low Opal cover: -65%  
Low Frosted cover: -65%

### INSTALLATION



### MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-CC01-06-G3	Profile for concrete	3 m	PVC	Grey		-
LLD-06-CM3	Opal cover	3 m	Polycarbonate	-		30 pcs
LLD-06-CS3	Frosted cover	3 m	Polycarbonate	-		30 pcs
LLM-AC01-M	Straight connector	-	Metal	-	A	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	B	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	C	-
LLM-AC04-M	90° vertical connector	-	Metal	-	D	-




## LLP-CL01-06


Available in 3 m for LED strip up to 15 mm width





### COVERS





### INSTALLATION



Photometric curves carried out changing the position of lower cover



— C0-C180 — C90-C270  
 Flat opal cover: -41%  
 Flat frosted cover: -41%




— C0-C180 — C90-C270  
 Outside opal cover: -32%  
 Outside frosted cover: -32%




# SUSPENSION

## Photometric curves carried out using the lens covers



### END CAPS



### MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-CL01-06-S3	Suspended profile	3 m	Anodized aluminium	Silver		8 pcs
LLP-CL01-06-B3	Suspended profile	3 m	Anodized aluminium	Black		8 pcs
LLP-CL01-06-W3	Suspended profile	3 m	Painted aluminium	White		8 pcs
LLP-HS05-00-S3	Heatsink	3 m	Anodized aluminium	Silver		-
LLD-06-CM3	Opal cover	3 m	Polycarbonate	-		30 pcs
LLD-06-CS3	Frosted cover	3 m	Polycarbonate	-		30 pcs
LLD-06-XK1-L1	Lens 52°	1,176 m	Polycarbonate	-		-
LLD-06-XK1-L2	Lens 90°	1,176 m	Polycarbonate	-		-
LLD-06-XK1-L3	Asymmetric lens	1,176 m	Polycarbonate	-		-
LLD-06-XK1-L4	Lens with double asymmetry	1,176 m	Polycarbonate	-		-
LLE-CL01-SM-U	End cap	-	Aluminium	Silver	A	-
LLE-CL01-BM-U / LLE-CL01-WM-U	End cap	-	Aluminium	Black / White	A	-
LLE-D06C-WP-X	White end cap for diffuser	-	Plastic	White	B	-
LLM-IN06-M	Mounting clip for heatsink	-	Metal	-	C	-
LLM-AC01-M	Straight connector	-	Metal	-	D	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	E	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	F	-
LLM-AC04-M	90° vertical connector	-	Metal	-	G	-
LLM-SP02-M	Mounting spring	-	Metal	-	H	-
LLM-CL01-M	Suspension kit	2 m	Metal	-	I	-
LLM-CL02-M	Suspension kit	2 m	Metal	-	L	-





## LLP-CL02-07

Available in 2 m and 3 m for LED strip up to 35 mm width



### COVERS





Photometric curves carried out changing the position of lower cover



— C0-C180 — C90-C270  
 Outside opal cover: -39%  
 Outside frosted cover: -42%



— C0-C180 — C90-C270  
 Flat opal cover: -40%  
 Flat frosted cover: -43%




— C0-C180 — C90-C270  
 Inside opal cover: -39%  
 Inside frosted cover: -41%




# SUSPENSION

Photometric curves carried out changing the position of upper covers




## END CAPS



A

B

## MOUNTING CLIPS



C

D

E

F

G

H

I

L



Article	Description	Length	Material	Color	Picture	Packaging
LLP-CL02-07-S2 / LLP-CL02-07-S3	Suspended profile	2 / 3 m	Anodized aluminium	Silver		-
LLP-CL02-07-B3 / LLP-CL02-07-W3	Suspended profile	3 m	Anodized / Painted	Black / White		-
LLP-HS02-00-S2 / LLP-HS02-00-S3	Heatsink	2 / 3 m	Anodized aluminium	Silver		-
LLD-07-CM2 / LLD-07-CM3	Opal cover	2 / 3 m	Polycarbonate	-		-
LLD-07-CS2 / LLD-07-CS3	Frosted cover	2 / 3 m	Polycarbonate	-		-
LLD-03-FK2 / LLD-03-FK3	Upper transparent cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FM2 / LLD-03-FM3	Upper opal cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FH2 / LLD-03-FH3	Upper semiopal cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FS2 / LLD-03-FS3	Upper frosted cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-XK2-L1 / LLD-03-XK3-L1	Upper 54° lens	2 / 3 m	PMMA	-		-
LLE-CL02-SM-U	End cap	-	Aluminium	Silver	A	-
LLE-CL02-BM-U / LLE-CL02-WM-U	End cap	-	Aluminium	Black / White	A	-
LLE-D07C-WP-X	White end cap for diffuser	-	Plastic	White	B	-
LLM-IN06-M	Mounting clip for heatsink	-	Metal	-	C	-
LLM-AC01-M	Straight connector	-	Metal	-	D	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	E	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	F	-
LLM-AC04-M	90° vertical connector	-	Metal	-	G	-
LLM-SP02-M	Mounting spring	-	Metal	-	H	-
LLM-CL01-M	Suspension kit	2 m	Metal	-	I	-
LLM-CL02-M	Suspension kit	2 m	Metal	-	L	-




## LLP-CL04-18

Available in 3 m for LED strip up to 50 mm width


### COVERS



### PHOTOMETRIC CURVE




Opal cover: -37%  
Frosted cover: -38%



Biemission Opal: -37%  
Biemission Frosted: -38%

### INSTALLATION



### END CAPS

### MOUNTING CLIPS



Article	Description	Length	Material	Color	Picture	Packaging
LLP-CL04-18-S3	Suspended profile	3 m	Anodized aluminium	Silver	-	-
LLP-CL04-18-B3	Suspended profile	3 m	Anodized aluminium	Black	-	-
LLP-CL04-18-W3	Suspended profile	3 m	Painted aluminium	White	-	-
LLP-CL04-00-S3	Aluminium plate	3 m	Anodized aluminium	Silver	-	-
LLP-CL04-00-W3	Aluminium plate	3 m	Painted aluminium	White	-	-
LLP-CL04-00-B3	Aluminium plate	3 m	Anodized aluminium	Black	-	-
LLD-18-FM3	Opal cover	3 m	Polycarbonate	-	-	-
LLD-18-FS3	Frosted cover	3 m	Polycarbonate	-	-	-
LLE-CL04-GP-U	End cap without hole	-	Plastic	Grey	A	-
LLE-CL04-WP-U	End cap without hole	-	Plastic	White	A	-
LLE-CL04-BP-U	End cap without hole	-	Plastic	Black	A	-
LLM-CL01-M	Suspension kit	2 m	Metal	-	B	-
LLM-CL02-M	Suspension kit	2 m	Metal	-	C	-
LLM-SP02-M	Mounting spring	-	Metal	-	D	-
LLM-AC01-M	Straight connector	-	Metal	-	E	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	F	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	G	-
LLM-AC04-M	90° vertical connector	-	Metal	-	H	-




## LLP-NE01-14

Available in 2 m for LED strip up to 20 mm width

### COVERS




### PHOTOMETRIC CURVE



Opal cover  
(light reduction: -13%)



### INSTALLATION



### END CAPS



### MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-NE01-14-S2	Round profile	2 m	Anodized aluminium	Silver		100 pcs
LLD-14-RM2	Opal cover	2 m	Polycarbonate	-		60 pcs
LLE-NE0102-GP-N	End cap without hole	-	Plastic	Grey	A	125 pcs
LLE-NE0102-GP-W	End cap with hole	-	Plastic	Grey	B	125 pcs
LLM-CL01-M	Suspension kit	2 m	Metal	-	C	-
LLM-CL02-M	Suspension kit	2 m	Metal	-	D	-
LLM-SP02-M	Mounting spring	-	Metal	-	E	-
LLM-AC01-M	Straight connector	-	Metal	-	F	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	G	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	H	-
LLM-AC04-M	90° vertical connector	-	Metal	-	I	-



# ROUND

## LLP-NE02-15


Available in 2 m for LED strip up to 18 mm width



### COVERS



### PHOTOMETRIC CURVE



### END CAPS



Article	Description	Length	Material	Color	Picture	Packaging
LLP-NE02-15-S2	Waterproof round profile	2 m	Anodized aluminium	Silver	-	-
LLD-15-WM2	Opal cover	2 m	Polycarbonate	-	-	-
LLE-NE0102-GP-N	End cap without hole	-	Plastic	Grey	A	125 pcs
LLE-NE0102-GP-W	End cap with hole	-	Plastic	Grey	B	125 pcs
LLE-D15W-WS-U	Internal end cap	-	Silicone	White	C	120 pcs



## LLP-NE03-17


Available in 2 m for LED strip up to 15 mm width



### COVERS



### PHOTOMETRIC CURVE



Opal cover  
(light reduction: -32%)



### INSTALLATION



### END CAPS

### MOUNTING CLIPS



A



B

Article	Description	Length	Material	Color	Picture	Packaging
LLP-NE03-17-S2	Round profile	2 m	Anodized aluminium	Silver	-	-
LLD-17-RM2	Opal cover	2 m	Polycarbonate	-	-	-
LLE-NE03-WP-N	End cap without hole	-	Plastic	White	A	-
LLM-CL03-M	Suspension kit	2 m	Metal	-	B	-



## LLP-NE04-19


Available in 2 m for LED strip up to 22 mm width




### COVERS



### PHOTOMETRIC CURVE



### INSTALLATION



### END CAPS



### MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-NE04-19-S2	Round profile	2 m	Anodized aluminium	Silver		100 pcs
LLD-19-RM2	Opal cover	2 m	Polycarbonate	-		60 pcs
LLE-NE04-WP-U	End cap without hole	-	Plastic	White	A	125 pcs
LLM-CL01-M	Suspension kit	2 m	Metal	-	B	-
LLM-CL02-M	Suspension kit	2 m	Metal	-	C	-
LLM-SP02-M	Mounting spring	-	Metal	-	D	-
LLM-AC01-M	Straight connector	-	Metal	-	E	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	F	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	G	-
LLM-AC04-M	90° vertical connector	-	Metal	-	H	-



## LLP-TI01-11


Available in 3 m for LED strip up to 10 mm width




### COVERS



### PHOTOMETRIC CURVE



Opal cover: -42%  
Frosted cover: -43%



### INSTALLATION



### END CAPS




A

Article	Description	Length	Material	Color	Picture	Packaging
LLP-TI01-11-S3	Tiling waterproof profile	3 m	Anodized aluminium	Silver		-
LLP-AC02-00-S3	Flat bar	3 m	Anodized aluminium	Silver		-
LLD-11-WM3	Opal cover	3 m	Polycarbonate	-		-
LLD-11-WS3	Frosted cover	3 m	Polycarbonate	-		-
LLE-D11W-WS-U	End cap	-	Silicone	White	A	550 pcs



## LLP-TI02-10


Available in 3 m for LED strip up to 17 mm width



### COVERS



### PHOTOMETRIC CURVE



Frosted cover  
(light reduction: -26%)

### INSTALLATION




Article	Description	Length	Material	Color	Picture	Packaging
LLP-TI02-10-S3	Tiling profile	3 m	Anodized aluminium	Silver	-	-
LLD-10-LS3	Frosted cover	3 m	Polycarbonate	-	-	-



## LLP-TI03-10


Available in 3 m for LED strip up to 17 mm width



### COVERS



### PHOTOMETRIC CURVE



— C0-C180 — C90-C270  
Frosted cover  
(light reduction: -26%)

### INSTALLATION




Article	Description	Length	Material	Color	Picture	Packaging
LLP-TI03-10-S3	Tiling profile	3 m	Anodized aluminium	Silver	-	-
LLP-TI03-10-W3	Tiling profile	3 m	Painted aluminium	White	-	-
LLD-10-LS3	Frosted cover	3 m	Polycarbonate	-	-	-




## LLP-ST01-02

Available in 2 m for LED strip up to 6 mm width

### COVERS




### PHOTOMETRIC CURVE



Opal cover: -68%  
Frosted cover: -69%



### INSTALLATION




Article	Description	Length	Material	Color	Picture	Packaging
LLP-ST01-02-S2	Profile for step	2 m	Anodized aluminium	Silver	-	-
LLP-ST01-02-B2	Profile for step	2 m	Anodized aluminium	Black	-	-
LLD-02-FM2	Opal cover	2 m	Polycarbonate	-	-	300 pcs
LLD-02-FS2	Frosted cover	2 m	Polycarbonate	-	-	300 pcs




## LLP-FL01-21

Available in 2 m for LED strip up to 12 mm width

### COVERS



### PHOTOMETRIC CURVE



Opal cover  
(light reduction: -49%)



### INSTALLATION



### END CAPS



A

Article	Description	Length	Material	Color	Picture	Packaging
LLP-FL01-21-S2	Tiling profile	3 m	Anodized aluminium	Silver		-
LLD-21-FM2	Opal cover	3 m	Polycarbonate	-		-
LLE-FL01-SM-U	End cap	3 m	Stainless steel	Silver		-





## LLP-FL02-21

Available in 3 m for LED strip up to 15 mm width


### COVERS




### INSTALLATION



### PHOTOMETRIC CURVE



Opal cover  
Strip lying on profile bottom  
(light reduction: -75%)



Opal cover  
Strip lifted on plate  
(light reduction: -49%)

### END CAPS



A


Article	Description	Length	Material	Color	Picture	Packaging
LLP-FL02-21-S2	Tiling profile	3 m	Anodized aluminium	Silver		-
LLD-21-FM2	Opal cover	3 m	Polycarbonate	-		-
LLE-FL02-SM-U	End cap	3 m	Stainless steel	Silver		-
LLP-AC01-00-S3	Flat bar	3 m	Anodized aluminium	Silver		-




## LLP-FL03-21

Available in 3 m for LED strip up to 15 mm width

### COVERS



### PHOTOMETRIC CURVE



Opal cover  
(light reduction: -49%)



### INSTALLATION



### END CAPS




A

Article	Description	Length	Material	Color	Picture	Packaging
LLP-FL03-21-S2	Tiling profile	3 m	Anodized aluminium	Silver		-
LLD-21-FM2	Opal cover	3 m	Polycarbonate	-		-
LLE-FL03-SM-U	End cap	3 m	Stainless steel	Silver		-




## LLP-DW01-03

Available in 3 m for LED strip up to 14 mm width




### INSTALLATION




### COVERS




### PHOTOMETRIC CURVE




Transparent cover 40°  
(light reduction: -41%)



Semiopal cover  
(light reduction: -45%)



Opal cover: -59%  
Frosted cover: -60%




14° lens cover  
(light reduction: -41%)

Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW01-03-W3	Drywall profile	3 m	Painted aluminium	White		24 pcs
LLD-03-FK3	Transparent cover	3 m	Polycarbonate	-		180 pcs
LLD-03-FM3	Opal cover	3 m	Polycarbonate	-		180 pcs
LLD-03-FH3	Semiopal cover	3 m	Polycarbonate	-		180 pcs
LLD-03-FS3	Frosted cover	3 m	Polycarbonate	-		180 pcs
LLD-03-XK3-L2	14° lens	3 m	Polycarbonate	-		-



## LLP-DW02-03

Available in 2 m for LED strip up to 16 mm width




### INSTALLATION




### COVERS




### PHOTOMETRIC CURVE




Transparent cover  
(light reduction: -38%)



Semiopal cover  
(light reduction: -42%)



Opal cover: -56%  
Frosted cover: -58%




13° lens cover  
(light reduction: -38%)

Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW02-03-S2	Drywall profile	2 m	Anodized aluminium	Silver		-
LLD-03-FK2	Transparent cover	2 m	Polycarbonate	-		320 pcs
LLD-03-FM2	Opal cover	2 m	Polycarbonate	-		320 pcs
LLD-03-FH2	Semiopal cover	2 m	Polycarbonate	-		320 pcs
LLD-03-FS2	Frosted cover	2 m	Polycarbonate	-		320 pcs
LLD-03-XK2-L2	13° lens	2 m	Polycarbonate	-		-



## LLP-DW03-03

Available in 3 m for LED strip up to 13 mm width




### INSTALLATION




### COVERS




### PHOTOMETRIC CURVE




Transparent cover  
(light reduction -35%)



Semiopal cover  
(light reduction -42%)



Opal cover: -53%  
Frosted cover: -59%



11° lens cover  
(light reduction -37%)

Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW03-03-S3	Drywall profile	3 m	Anodized aluminium	Silver		-
LLD-03-FK3	Transparent cover	3 m	Polycarbonate	-		180 pcs
LLD-03-FM3	Opal cover	3 m	Polycarbonate	-		180 pcs
LLD-03-FH3	Semiopal cover	3 m	Polycarbonate	-		180 pcs
LLD-03-FS3	Frosted cover	3 m	Polycarbonate	-		180 pcs
LLD-03-XK3-L2	11° lens	3 m	Polycarbonate	-		-





## LLP-DW04-06

Available in 3 m for LED strip up to 15 mm width


### COVERS




### INSTALLATION



Photometric curves carried out changing the position of lower cover




— C0-C180 — C90-C270  
 Flat opal cover: -41%  
 Flat frosted cover: -41%




— C0-C180 — C90-C270  
 Outside opal cover: -32%  
 Outside frosted cover: -32%



## Photometric curves carried out using the lens covers



## INSTALLATION



## END CAPS

## MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW04-06-W3	Drywall profile	3 m	Painted aluminium	White		-
LLP-HS05-00-S3	Heatsink	3 m	Anodized aluminium	Silver		-
LLD-06-CM3	Opal cover	3 m	Polycarbonate	-		30 pcs
LLD-06-CS3	Frosted cover	3 m	Polycarbonate	-		30 pcs
LLD-06-XK1-L1	Lens 52°	1,176 m	Polycarbonate	-		-
LLD-06-XK1-L2	Lens 90°	1,176 m	Polycarbonate	-		-
LLD-06-XK1-L3	Asymmetric lens	1,176 m	Polycarbonate	-		-
LLD-06-XK1-L4	Lens with double asymmetry	1,176 m	Polycarbonate	-		-
LLE-DW04-SM-U	End cap	-	Aluminium	Silver	A	-
LLM-AC01-M	Straight connector	-	Metal	-	B	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	C	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	D	-
LLM-AC04-M	90° vertical connector	-	Metal	-	E	-



## LLP-DW05-07


Available in 3 m for LED strip up to 35 mm width




### COVERS



### PHOTOMETRIC CURVE




Outside opal cover: -39%  
Outside frosted cover: -40%



Flat opal cover: -41%  
Flat frosted cover: -42%



### INSTALLATION



### END CAPS



### MOUNTING CLIPS





Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW05-07-W3	Drywall profile	3 m	Painted aluminium	White		-
LLP-HS02-00-S3	Heatsink	3 m	Anodized aluminium	Silver		-
LLD-07-CM3	Opal cover	3 m	Polycarbonate	-		-
LLD-07-CS3	Frosted cover	3 m	Polycarbonate	-		-
LLE-DW05-SM-U	End cap	-	Aluminium	Silver	A	-
LLE-D07C-WP-X	White end cap for diffuser	-	Plastic	White	B	-
LLM-IN06-M	Mounting clip for heatsink	-	Metal	-	C	-
LLM-AC01-M	Straight connector	-	Metal	-	D	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	E	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	F	-
LLM-AC04-M	90° vertical connector	-	Metal	-	G	-




## LLP-DW06-02

Available in 3 m for LED strip up to 6 mm width


### COVERS



### PHOTOMETRIC CURVE



Opal cover: -55%  
Frosted cover: -59%



### INSTALLATION




Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW06-02-W3	Drywall profile	3 m	Painted aluminium	White		-
LLD-02-FM3	Opal cover	3 m	Polycarbonate	-		300 pcs
LLD-02-FS3	Frosted cover	3 m	Polycarbonate	-		300 pcs



## LLP-DW07-01


Available in 2 m for LED strip up to 18 mm width




### COVERS



### PHOTOMETRIC CURVE



High opal cover  
(light reduction: -25%)



Low opal cover  
(light reduction: -31%)



### INSTALLATION



### END CAPS





Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW07-01-W2 / LLP-DW07-01-W3	Drywall profile	2 m / 3 m	Painted aluminium	White		35 pcs
LLD-01-CM2 / LLD-01-CM3	High opal cover	2 m / 3 m	Polycarbonate	-		120 pcs
LLD-01-FM2 / LLD-01-FS2 / LLD-01-FM3	Low opal / frosted cover	2 m / 3 m	Polycarbonate	-		190 pcs
LLE-DW07-SM-U	End cap	-	Galvanized sheet	Silver	A	-
LLE-D01C-GP-X	End cap for high cover	-	Plastic	Grey	B	500 pcs



## LLP-DW08-03


Available in 2 and 3 m for LED strip up to 14 mm width



### COVERS




### PHOTOMETRIC CURVE




— C0-C180 — C90-C270

Transparent cover  
(light reduction: -21%)



— C0-C180 — C90-C270

Semiopal cover  
(light reduction: -24%)



— C0-C180 — C90-C270

Opal cover: -37%  
Frosted cover: -40%

### INSTALLATION




Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW08-03-W2 / LLP-DW08-03-W3	Drywall profile	2 / 3 m	Painted aluminium	White		-
LLD-03-FK2 / LLD-03-FK3	Transparent cover	2 / 3 m	Polycarbonate	-		180 pcs
LLD-03-FM2 / LLD-03-FM3	Opal cover	2 / 3 m	Polycarbonate	-		180 pcs
LLD-03-FH2 / LLD-03-FH3	Semiopal cover	2 / 3 m	Polycarbonate	-		180 pcs
LLD-03-FS2 / LLD-03-FS3	Frosted cover	2 / 3 m	Polycarbonate	-		180 pcs



## LLP-DW09-01


Available in 2 m for LED strip up to 17 mm width



### COVERS



### PHOTOMETRIC CURVE



— C0-C180 — C90-C270  
Low opal cover  
(light reduction: -35%)

### INSTALLATION



### MOUNTING CLIPS




A

Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW09-01-W2	Drywall profile	2 m	Painted aluminium	White		-
LLD-01-FM2 / LLD-01-FS2	Low opal / frosted cover	2 m	Polycarbonate	-		190 pcs
LLM-AC01-M	Straight connector	-	Metal	-	A	-



## LLP-DW10-05


Available in 3 m for LED strip up to 24 mm width



### COVERS




### PHOTOMETRIC CURVE



— C0-C180 — C90-C270


Transparent cover  
(light reduction: -20%)



— C0-C180 — C90-C270

Opal cover  
(light reduction: -37%)

### INSTALLATION



### MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW10-05-W3	Drywall profile	3 m	Painted aluminium	White		-
LLD-05-FK3	Transparent cover	3 m	Polycarbonate	-		140 pcs
LLD-05-FM3	Opal cover	3 m	Polycarbonate	-		140 pcs
LLD-05-FS3	Frosted cover	3 m	Polycarbonate	-		140 pcs
LLM-AC01-M	Straight connector	-	Metal	-	A	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	B	-
LLM-AC04-M	90° vertical connector	-	Metal	-	C	-




## LLP-DW11-03

Available in 3 m for LED strip up to 17 mm width


### COVERS




### PHOTOMETRIC CURVE




Transparent cover 50°  
(light reduction: -37%)



Semiopal cover 67°  
(light reduction: -40%)



Opal cover: -50%  
Frosted cover: -54%



35° lens cover  
(light reduction: -28%)

### INSTALLATION



### MOUNTING CLIPS



Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW11-03-W3	Drywall profile	3 m	Painted aluminium	White		-
LLD-03-FK3	Transparent cover	3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FM3	Opal cover	3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FH3	Semiopal cover	3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FS3	Frosted cover	3 m	Polycarbonate	-		320 / 180 pcs
LLM-AC01-M	Straight connector	-	Metal	-	A	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	B	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	C	-
LLM-AC04-M	90° vertical connector	-	Metal	-	D	-
LLE-DW11-SM-U	End cap	-	Galvanized sheet	Silver	E	-



## LLP-DW14-03

Available in 3 m for LED strip up to 14 mm width

### COVERS



### INSTALLATION





Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW14-03-W3	Drywall profile	3 m	Painted aluminium	White		-
LLD-03-FK3	Transparent cover	3 m	Polycarbonate	-		180 pcs
LLD-03-FM3	Opal cover	3 m	Polycarbonate	-		180 pcs
LLD-03-FH3	Semiopal cover	3 m	Polycarbonate	-		180 pcs
LLD-03-FS3	Frosted cover	3 m	Polycarbonate	-		180 pcs
LLD-03-XK3-L2	60° lens	3 m	Polycarbonate	-		-




## LLP-DW15-03

Available in 3 m for LED strip up to 14 mm width




### INSTALLATION



### COVERS




### PHOTOMETRIC CURVE




— C0-C180 — C90-C270

Transparent cover 70°  
(light reduction: -23%)




— C0-C180 — C90-C270

Semiopal cover 78°  
(light reduction: -27%)




— C0-C180 — C90-C270

Opal cover: -41%  
Frosted cover: -45%



— C0-C180 — C90-C270

Black  
(light reduction: -87%)



— C0-C180 — C90-C270


40° lens cover  
(light reduction: -18%)

Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW15-03-W3	Drywall profile	3 m	Painted aluminium	White		-
LLD-03-FK3	Transparent cover	3 m	Polycarbonate	-		180 pcs
LLD-03-FM3	Opal cover	3 m	Polycarbonate	-		180 pcs
LLD-03-FH3	Semiopal cover	3 m	Polycarbonate	-		180 pcs
LLD-03-FS3	Frosted cover	3 m	Polycarbonate	-		180 pcs
LLD-03-XK3-L2	60° lens	3 m	Polycarbonate	-		-



## LLP-DW16-03

Available in 3 m for LED strip up to 14 mm width



### COVERS



### INSTALLATION



### MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW16-03-W3	Drywall profile	3 m	Painted aluminium	White		-
LLD-03-FK3	Transparent cover	3 m	Polycarbonate	-		-
LLD-03-FM3	Opal cover	3 m	Polycarbonate	-		-
LLD-03-FH3	Semiopal cover	3 m	Polycarbonate	-		-
LLD-03-FS3	Frosted cover	3 m	Polycarbonate	-		-
LLD-03-XK3-L2	60° lens	3 m	Polycarbonate	-		-
LLM-AC01-M	Straight connector	-	Metal	-	A	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	B	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	C	-



## LLP-BB01-02


Available in 2 m for LED strip up to 10 mm width



### COVERS




### PHOTOMETRIC CURVE



— C0-C180 — C90-C270  
 Opal cover: -68%  
 Frosted cover: -69%

### INSTALLATION



### MOUNTING CLIPS



A



Article	Description	Length	Material	Color	Picture	Packaging
LLP-BB01-02-S2	Baseboard profile	2 m	Anodized aluminium	Silver		-
LLP-BB01-02-B2	Baseboard profile	2 m	Anodized aluminium	Black		-
LLP-BB01-02-W2	Baseboard profile	2 m	Painted aluminium	White		-
LLD-02-FM2	Opal cover	2 m	Polycarbonate	-		300 pcs
LLD-02-FS2	Frosted cover	2 m	Polycarbonate	-		300 pcs
LLM-IN05-P	Mounting clip	-	Plastic	-	A	-



# BASEBOARD

## LLP-BB02-02


Available in 2 m for LED strip up to 6 mm width




### COVERS



### PHOTOMETRIC CURVE



### INSTALLATION




Article	Description	Length	Material	Color	Picture	Packaging
LLP-BB02-02-S2	Baseboard profile (rear part)	2 m	Anodized aluminium	Silver	-	-
LLP-BB03-00-S2	Baseboard profile (front part)	2 m	Anodized aluminium	Silver	-	-
LLP-BB03-00-B2	Baseboard profile (front part)	2 m	Anodized aluminium	Black	-	-
LLD-02-FM2	Opal cover	2 m	Polycarbonate	-	-	300 pcs
LLD-02-FS2	Frosted cover	2 m	Polycarbonate	-	-	300 pcs



# HANDRAIL

## LLP-HR01-0203



Available in 6 m for LED strip up to 6 mm and 12 mm width



### COVERS



### INSTALLATION





— C00-C180 — C90-C270  
Frosted cover



Article	Description	Length	Material	Color	Picture	Packaging
LLP-HR01-0203-S6	Handrail profile	6 m	Anodized aluminium	Silver		-
LLD-02-FM2 / LLD-02-FM3	Opal cover	2 / 3 m	Polycarbonate	-		300 pcs
LLD-02-FS2 / LLD-02-FS3	Frosted cover	2 / 3 m	Polycarbonate	-		300 pcs
LLD-03-FK2 / LLD-03-FK3	Transparent cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FM2 / LLD-03-FM3	Opal cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FH2 / LLD-03-FH3	Semiopal cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FS2 / LLD-03-FS3	Frosted cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-XK2-L1 / LLD-03-XK3-L1	60° lens	2 / 3 m	PMMA	-		-





# HANDRAIL




— C0-C180 — C90-C270  
Transparent cover  
(light reduction: -17%)



— C0-C180 — C90-C270  
60° lens cover  
(light reduction: -17%)



— C0-C180 — C90-C270  
Transparent cover




— C0-C180 — C90-C270  
Transparent cover



## LLP-SH01-03


Available in 2 m for LED strip up to 12 mm width




### COVERS




### PHOTOMETRIC CURVE



Transparent cover  
(light reduction: -19%)



Semiopal cover  
(light reduction: -23%)




Opal cover: -37%  
Frosted cover: -39%

### INSTALLATION



### END CAPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-SH01-03-S2	Shelf profile	2 m	Anodized aluminium	Silver		-
LLP-SH01-03-W2	Shelf profile	2 m	Painted aluminium	White		-
LLD-03-FK2	Transparent cover	2 m	Polycarbonate	-		180 pcs
LLD-03-FM2	Opal cover	2 m	Polycarbonate	-		180 pcs
LLD-03-FH2	Semiopal cover	2 m	Polycarbonate	-		180 pcs
LLD-03-FS2	Frosted cover	2 m	Polycarbonate	-		180 pcs
LLE-SH01S-GP-N	Left end cap without hole	-	Plastic	Grey	A	-
LLE-SH01D-GP-N	Right end cap without hole	-	Plastic	Grey	B	-
LLE-SH01S-WP-N	Left end cap without hole	-	Plastic	White	A	-
LLE-SH01D-WP-N	Right end cap without hole	-	Plastic	White	B	-




## LLP-SH02-03

Available in 2 and 3 m for LED strip up to 12 mm width


### COVERS




### PHOTOMETRIC CURVE



— C0-C180 — C90-C270  
Transparent cover  
(light reduction: -25%)



— C0-C180 — C90-C270  
Semiopal cover  
(light reduction: -28%)



— C0-C180 — C90-C270  
Opal cover: -42%  
Frosted cover: -43%



### INSTALLATION



### END CAPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-SH02-03-S2 / LLP-SH02-03-S3	Shelf profile	2 m / 3 m	Anodized aluminium	Silver		-
LLD-03-FK2 / LLD-03-FK3	Transparent cover	2 m / 3 m	Polycarbonate	-		180 pz.
LLD-03-FM2 / LLD-03-FM3	Opal cover	2 m / 3 m	Polycarbonate	-		180 pz.
LLD-03-FH2 / LLD-03-FH3	Semiopal cover	2 m / 3 m	Polycarbonate	-		180 pz.
LLD-03-FS2 / LLD-03-FS3	Frosted cover	2 m / 3 m	Polycarbonate	-		180 pz.



## LLP-SH03-03


Available in 2 m for LED strip up to 12 mm width




### COVERS




### PHOTOMETRIC CURVE



— C0-C180 — C90-C270  
Transparent cover  
(light reduction: -33%)




— C0-C180 — C90-C270  
Semiopal cover  
(light reduction: -36%)



— C0-C180 — C90-C270  
Opal cover: -50%  
Frosted cover: -51%

### INSTALLATION



### END CAPS




A

Article	Description	Length	Material	Color	Picture	Packaging
LLP-SH03-03-S2	Shelf profile	2 m	Anodized aluminium	Silver		-
LLD-03-FK2	Transparent cover	2 m	Polycarbonate	-		180 pz.
LLD-03-FM2	Opal cover	2 m	Polycarbonate	-		180 pz.
LLD-03-FH2	Semiopal cover	2 m	Polycarbonate	-		180 pz.
LLD-03-FS2	Frosted cover	2 m	Polycarbonate	-		180 pz.
LLE-SH03-GP-U	End cap		Plastic	Grey	A	-





## LLP-WB01-00


Available in 2 m for 6 mm Neon Flex



### PHOTOMETRIC CURVE



### INSTALLATION



### MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-WB01-00-S2	Wardrobe profile	2 m	Anodized aluminium	Silver		-



## LLP-MR03-03

Available in 2 m for LED strip up to 12 mm width


### COVERS



### INSTALLATION



### MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-MR01-03-S2	Mirror profile	2 m	Anodized aluminium	Silver		-
LLP-MR01-03-B2	Mirror profile	2 m	Anodized aluminium	Black		-
LLD-03-FK2	Transparent cover	2 m	Polycarbonate	-		180 pz.
LLD-03-FM2	Opal cover	2 m	Polycarbonate	-		180 pz.
LLD-03-FH2	Semiopal cover	2 m	Polycarbonate	-		180 pz.
LLD-03-FS2	Frosted cover	2 m	Polycarbonate	-		180 pz.
LLM-AC06-M	90° horizontal connector	-	Metallo	-	A	-
LLM-AC07-M	90° vertical connector	-	Metallo	-	B	-




# Matching between covers and profiles







LLP-SL01-01




LLP-SL02-06




LLP-SL03-02




LLP-SL04-04




LLP-SL05-03




LLP-SL06-05




LLP-SL07-05




LLP-SL08-03




LLP-SL09-12




LLP-SL10-13




LLP-SL11-01




LLP-SL12-16




LLP-SL13-02



LLP-SL14-16




LLP-AC03-00




LLP-RE01-03




LLP-RE02-03




LLP-RE03-05




LLP-RE04-07




LLP-RE05-01




LLP-RE06-01




LLP-RE07-12




LLP-RE08-13




LLP-RE09-02



LLP-RE10-02




LLP-RE11-16




LLP-RE12-16



LLP-AN01-03



LLP-AN02-08




LLP-AN03-08



LLP-AN04-09




LLP-AN05-09




LLP-AN06-20




LLP-WL01-03



LLP-WL02-03




LLP-WL03-01




LLP-WL04-05






LLP-CL01-06



LLP-CL02-07



LLP-CL04-18



LLP-NE01-14




LLP-NE02-15



LLP-NE03-17



LLP-NE04-19




LLP-TI01-11



LLP-TI02-10




LLP-TI03-10



LLP-ST01-02




LLP-DW01-03




LLP-DW02-03




LLP-DW03-03




LLP-DW04-06




LLP-DW05-07



LLP-DW06-02




LLP-DW07-01



LLP-DW08-03



LLP-DW09-01




LLP-DW10-05




LLP-DW11-03




LLP-DW14-03




LLP-DW15-03




LLP-DW16-03




LLP-FL01-21




LLP-FL02-21




LLP-BB01-02




LLP-BB02-02




LLP-HR01-0203




LLP-SH01-03




LLP-SH02-03



LLP-SH03-03



LLP-WB01-00



LLP-CC01-06



# HOW DO YOU BREAK DOWN LIGHTING LINE CODES?

## Profiles

LLP	Dash	Type	Progressive n.	Dash	Cover	Dash	Colour	Length
LLP	-	SL	08	-	03	-	S	2
LLP	-	SL	08	-	03	-	B	3

Type	
SL	Surface (Slim Line)
RE	Recessed
AN	Corner
CL	Ceiling
ST	Step
DW	Drywall
TI	Tiles
WL	Wall
BB	Baseboard
CC	Concrete
FL	Floor
NE	Neon
SH	Shelves
WB	Wardrobe
MR	Mirror

Colour	
S	Silver
B	Black
W	White

Some profiles are designed to provide different fits of the diffuser, which can be positioned according to the desired lighting effect. The larger ones can accommodate a slim power supply inside.

Caps, mounting clips and heat sinks are to be provided to complement the profiles. For more detailed information on the mounting and the accessories required, please see the catalog pages dedicated to the codes of interest.

## Covers

LLD	Dash	Progressive n.	Dash	Tipologia	Opacity	Length
LLD	-	03	-	F	K	2
LLD	-	03	-	F	M	2
LLD	-	03	-	F	S	3

Type	
F	Flat
U	Round
C	Three-sided
R	Circular
L	L-shaped
W	Waterproof
P	Walkable
X	Lens

Opacity	
K	Transparent
H	Semiopal
M	Opal
S	Frosted
B	Black

## End caps

LLE	Dash	Type	Prog. n.	R/L	Dash	Colour	Material	Dash	Model
LLE	-	SL	08		-	G	P	-	N
LLE	-	SL			-	B	P	-	W
LLE	-	SL				W	P	-	F

Material	
P	Plastic
M	Metal
S	Silicone
3D	3D print

Model	
N	Without hole
W	With hole
U	Unique
F	Furniture

## Mounting clips

LLM	Dash	Tipologia	Progressive n.	Dash	Material
LLM	-	ES	01	-	M
LLM	-	ES	01	-	P

Type	
IN	Internal
ES	External
SP	Special
CL	Ceiling
AC	Accessories

Material	
M	Matal
P	Plastic

PLEASE NOTE: The codes used in the example refer to SL08 model profiles and accessories.





# LIGHTING LINE

## **Head office**

V. Nagevičiaus g. 3  
LT-08237 Vilnius (LT)  
+370 52 559408

## **Production unit**

Zhongshan, Guangdong  
China

[info@lightingline.eu](mailto:info@lightingline.eu)  
[www.lightingline.eu](http://www.lightingline.eu)